



ERGO TREND LIGHT

PLATFORMS WITH PLUG-IN LEGS





PLATFORMS WITH PLUG-IN LEGS



The lightweight version of the classic ERGO trend is used for any applications in which weight is important, but no compromises can be made in terms of quality, stability and load-bearing capacity.



Ergonomic aluminium profile

The ERGOnomically shaped aluminium upper frame is comfortable in the hand and also allows the platform to be carried over long distances.



Groove channels

Both the peripheral and the inner multi-functional groove channels can be used to attach system accessories.

The platforms can be connected using clamp connectors or assembly brackets, making the system compatible with all commercial platforms.



Surfaces

A non-slip phenolic plywood (birch throughout) made with waterproof glue or a 12-mm multiplex plywood are available as standard base boards.

Additional surfaces such as carpet, plexiglass etc. are also available upon request, expanding our product portfolio further.



Special structures

Overlengths, sections or triangles can be made to measure.



Leg mount

The 2M leg mount made of die-cast zinc is designed for use with round pipe or square pipe with dimensions of 40 mm to 60 mm.

The leg can be compacted using an M10 adjustment screw or via an eccentric quick release system depending on the customer's wishes – and it is possible to switch between these configurations in seconds.





DETAILS







Die-cast zinc leg mount including handwheel



Platform section – corner





Lower brace for lightweight versions

2M-deutschland.de ERGO trend light



TECHNICAL DATA



Product category Platforms with plug-in legs

Movable/StationarymovableDimensions2 m x 1 mSpecial size possibleyes

Weight 36 kg
Backing plate thickness 12 mm
Frame height 90 mm

Pit depth -

Horizontal test load1/10 of the vertical test loadVertical test load8.5 kN/m² (867 kg/m²)

Horizontal traffic load 1/10 of the vertical traffic load

Vertical traffic load 5.0 kN/m² (510 kg/m²)

Max. stage height

TÜV certificate DIN 13814, 4112, 1055, 15921



2M-deutschland.de ERGO trend light



ACCESSORIES


































Verbindungsmodule


















Transport und Lagerung






















WORKING TOGETHER TO GET THE BEST RESULTS WITH YOUR VISION AND OUR PASSION.

References:

2M-DEUTSCHLAND.DE/EN/REFERENZEN

ENQUIRE NOW!



Andre Nölle Sales Manager

- → 02102/13399-13
- → info@2m-deutschland.de



Gerrit Pape Project Manager

- → 02102/13399-14
- → info@2m-deutschland.de