



# **ERGO INDUSTRIE**

**INDUSTRIAL PLATFORM**

## INDUSTRIAL PLATFORM



Probably the first ergonomic and individually adjustable industrial platform. Whether as a work bench or embedded in your production line, with the new ERGO industrie, you have the freedom to create efficient, ergonomic and employee-oriented solutions.



### Ergonomics

Thanks to its infinitely adjustable design, you can perfectly embed and integrate this industrial platform into your work processes. The design, which is tailored to your requirements (e.g. rectangular, triangular, round or special shapes), offers a wide range of ergonomic parameters tailored to your application.



### Health

We spend hour after hour, day after day at work. This means that workplace ergonomics are incredibly important. The conditions at work should be adapted to suit the activity being carried out, and most importantly, should consider the needs of employees. Failure to do this can have consequences for health.



### Efficiency

Thanks to its design, which enables it to be adjusted in no time at all, the ERGO industrie can be constantly adapted to your work processes. As a result, this unit is an absolute all-rounder that saves money, time and resources.



### Material

Our system can be expanded with ease. In fact, the unit can be expanded and attachments (tool holders) can be fitted using the designated outer groove channel. The legs of the platform can be compacted using an M10 adjustment screw or via an eccentric quick release system depending on the customer's wishes – and it is possible to switch between these configurations in seconds.



### The legs

The legs of the platform can be compacted using an M10 adjustment screw or via an eccentric quick release system depending on the customer's wishes – and it is possible to switch between these configurations in seconds.



## DETAILS



Die-cast zinc leg mount including handwheel



Platform section – corner

## TECHNICAL DATA



<b>Product category</b>	Industrial platforms
<b>Movable/Stationary</b>	movable
<b>Dimensions</b>	2 m x 1 m
<b>Special size possible</b>	yes
<b>Weight</b>	42 kg
<b>Backing plate thickness</b>	22 mm
<b>Frame height</b>	90 mm
<b>Pit depth</b>	-
<b>Horizontal test load</b>	1/10 of the vertical test load
<b>Vertical test load</b>	8.5 kN/m <sup>2</sup> (867 kg/m <sup>2</sup> )
<b>Horizontal traffic load</b>	1/10 of the vertical traffic load
<b>Vertical traffic load</b>	5.0 kN/m <sup>2</sup> (510 kg/m <sup>2</sup> )
<b>Max. stage height</b>	-
<b>TÜV certificate</b>	DIN 13814, 4112, 1055, 15921



**WORKING TOGETHER  
TO GET THE BEST RESULTS  
WITH YOUR VISION  
AND OUR PASSION.**

**References:**

**[2M-DEUTSCHLAND.DE/EN/REFERENCES](https://2m-deutschland.de/en/references)**



**ENQUIRE NOW!**



**Andre Nölle**  
Sales Manager

→ 02102/13399-13  
→ [info@2m-deutschland.de](mailto:info@2m-deutschland.de)



**Gerrit Pape**  
Project Manager

→ 02102/13399-14  
→ [info@2m-deutschland.de](mailto:info@2m-deutschland.de)